

DSS Products Comparison between DSS Express and DSS Professional



V8.0.4

ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.

0 Basic Information

Product Model	Version	Firmware
DSS Express	V8.0.4 General_DSS-Express_win32_IS_V8.000.0000004.0.R.20211104.exe	
DSS Professional	V8.0.4	General_DSS-Professional_Win64_IS_V8.000.0000004.0.R.20211104.exe



1 System Deployment

Contents	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
OS	Windows	Windows	Windows
Form	Software	Software	Software
Type of Deployment	Single-server	Single-server	Distribute; Cascade
Hot Standby	х	х	V
Distribute	x	х	V
N+M	х	х	V
Cascade As Superior Level	х	х	V
Cascade As Subordinate Level	Х	V	V



	Contents	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
		Performance		
	Roles	20	20	100
Role&User	Users	10 online users and 50 total users	10 online users and 50 total users	200 online users and 2,500 total users
	DSS Agile VDP User	х	50 online users and 500 total users	500 online users and 5,000 total users
Recording Plan and	Central Recording	Up to 64 video channels	Up to 256 video channels	Up to 3,000 video channels
Event Plan	Event Rules	Up to 256 event sources	Up to 256 event sources	Up to 3,000 event sources
	Hierarchies	8	8	8
	Maximum Size of Raster Map	15MB	15MB	15MB
Мар	Number of Raster Maps	Up to 32	Up to 32	Up to 256
	Number of Resources on GIS Map	х	х	Up to 300
	Number of Resources per Raster Map	Up to 300	Up to 300	Up to 300
	Face Watch Lists	50	50	50
Face and Vehicle	Total Faces	5,000	5,000	300,000
Watch Lists	Faces per Face Watch List	5,000	5,000	50,000
	Vehicle Watch Lists	8	8	32



	Contents	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
Intelligent Analysis	People Counting Groups	X	4	30
intelligent Analysis	People Counting Rules	Х	20	20
	Vehicles	х	5,000	50,000
Entrance and Exit	Vehicle Groups	х	8	32
Entrance and Exit	Parking Lots	х	1	16
	Number of Entrances and Exites	х	4	60
	Persons	5,000	5,000	300,000
Personnel and	Cards	х	10,000	600,000
Vehicle	Faces	х	5,000	300,000
Management	Fingerprints	х	10,000	600,000
	Vehicles	5,000	5,000	50,000
	Bridges	х	x	5 Bridges
Synthesis	Incoming Trigger Event	Х	x	100
	Incoming Trigger Source	х	x	500



	Contents	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
	Event Records	2,000,000	2,000,000	20,000,000
	Face Recognition Records	2,000,000	2,000,000	20,000,000
	ANPR Records	2,000,000	2,000,000	5,000,000
	Metadata Records	2,000,000	2,000,000	5,000,000
	Access Control Records	x	2,000,000	5,000,000
	Video Intercom Records	x	2,000,000	5,000,000
	Visitor Records	x	2,000,000	5,000,000
	Entrance Records	x	2,000,000	5,000,000
	Exit Records	x	2,000,000	5,000,000
	Attendance Records	X	Х	5,000,000
Data Storage	Historical Count Records	x	2,000,000	5,000,000
	In Area Statistical Records	x	2,000,000	5,000,000
	Heat Map Records	x	2,000,000	5,000,000
	MPT Records	x	х	5,000,000
	Operator Logs	2,000,000	2,000,000	5,000,000
	Service Logs	2,000,000	2,000,000	5,000,000
		Independent I	Data Deployment	
	Event Records	х	Х	30,000,000
	Face Recognition Records	х	Х	30,000,000
	ANPR Records	х	Х	30,000,000
	Video Metadata Records	х	X	30,000,000



Contents		DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
		Single Server		
Total Devices	Devices	64 devices	512 devices	2,000 devices
Total Devices	Auto-Registered Devices	32 devices	32 devices	1,000 devices
	Video Devices and Channels	64 devides; 64 channels	256 devices; 256 cahnnels	1,000 devices; 2,000 channels
	P2P Devices	32	32	32
	Add devices by ONVIF	8 devices; 8 channels	256 devices; 256 cahnnels	1,000 devices; 2,000 channels
Video Devices and	ANPR Channels	8 (0 channels for entrance)	8 (4 channels for entrance)	500 (60 channels for entrance)
Channels	Face Recoginition Channels	8 devices; 8 channels	8 devices; 8 channels	100 devices; 500 channels
	Video Metadata Channels	8 devices; 8 channels	8 devices; 8 channels	500 channels
	MPT Devices	х	Х	100 devices
	EEC Devices	x	Х	64 devices
Security Screening	Security Screening Machine	х	Х	20
Devices	Walk-through Metal Detector	х	Х	60
Lata III and Anal at	People Counting Channels	х	16 channels	100 channels
Intelligent Analysis	Heat Map Channels	х	16 channels	100 channels
	Access Control	х	64 devices; 64 doors	500 devices; 1,000 doors
Other	Video Intercom	x	256 devices	2,000 devices
Others	Alarm Controller	Х	16 devices	100 devices
	POS Channels	х	X	100



	Contents	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
		Single Server		
Media Transmission	Video Input per Server	200Mbps	200Mbps	600Mbps
Server	Video Output per Server	200Mbps	200Mbps	600Mbps
	Storage Bandwidth per Server	100Mbps	100Mbps	600Mbps
Playback, Storage and Download	Maximum Capacity per Storage Server(Local)	7 Days	2ТВ	200ТВ
	Maximum Capacity per Storage Server(IPSAN)	x	х	20015
Picture	Picture Bandwidth *Including event/alarm pictures, face pictures, and vehicle pictures	50 Mbps	50 Mbps	200 Mbps
Event	Storage of Events or Alarms without Pictures	60 per second	60 per second	300 per second
	Access Control Events	x	60 per second	300 per second
		Multiple Servers		·
Number of sub servers per system	Sub Server	х	х	10
Total Davissa	Devices	x	X	20,000 devices
Total Devices	Auto-Registered Devices	х	Х	10,000 devices
	Video Devices and Channels	х	х	10,000 devices; 20,000 channels
Video Devices and Channels	P2P Devices	х	х	32
0.10.1110.0	ANPR Channels	x	х	5,000 channels (60 channels for entrance)



	Contents	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
		Multiple Servers		
Latallia ant Analysia	People Counting Channels	х	х	300 channels
Intelligent Analysis	Heat Map Channels	х	х	300 channels
	Face Recoginition Channels	х	х	1,000 devices; 5,000 channels
Video Devices and	Video Metadata Channels	х	х	5,000 channels
Channels	MPT Devices	х	х	300 devices
	EEC Devices	х	х	64 devices
Security Screening	Security Screening Machine	х	х	200
Devices	Walk-through Metal Detector	х	х	600
	Access Control	х	х	1,500 devices; 3,000 doors
.	Video Intercom	х	Х	2,000 devices
Others	Alarm Controller	х	Х	500 devices
	POS Channels	х	Х	300
Picture	Picture Bandwidth *Including event/alarm pictures, face pictures, and vehicle pictures	х	х	2,000 Mbps
Frant	Storage of Events or Alarms without Pictures	х	х	600 per second
Event	Access Control Events	х	х	600 per second



Classification	Function	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
Access Protocol	Onvif Protocol	V	٧	٧
Access Fluidcoi	Dahua Private Protocol	٧	٧	٧
	IP Address	٧	٧	٧
	Domin Name	٧	٧	٧
Adding Mode	Auto Register	٧	٧	٧
	Discover Device	٧	٧	٧
	Import Devices	٧	٧	٧
	NetDisk	×	×	٧
Storage	Server Disk	٧	٧	٧
	Disk Group	×	×	٧
	Domin User	×	×	٧
	Forced password change at first login	٧	٧	٧
User Management	Change Password Regularly	٧	٧	٧
	Bind MAC Address	٧	٧	٧
December 1	Center Recording Storage Duration	×	٧	٧
Record Plan	Retrieval Plan	×	×	٧



Classification	Function	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
Packup and Postoro	Manual Backup	٧	٧	٧
Backup and Restore	Auto Backup	٧	٧	٧
	Link Video	٧	٧	٧
	Trigger Snapshot	٧	٧	٧
	Link PTZ	٧	٧	٧
	Link Alarm Out	٧	٧	٧
	Link A&C	×	٧	٧
Event	Link Video Wall	×	٧	٧
Event	Link HTTP URL Command	٧	٧	٧
	Link E-mail	٧	٧	٧
	Notify User	٧	٧	٧
	Alarm Protocol	٧	٧	٧
	Handle Event	٧	٧	٧
	Forward Event	٧	٧	٧
Personnel and Vehicle	Personnel List	٧	٧	٧
Informaton	Vehicle List	٧	٧	٧



Classification	Function	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
	Live View	٧	٧	٧
	Playback	٧	٧	٧
Monitoring Center	Video Wall	×	√(Only NVD)	٧
	GIS Map	×	×	٧
	Raster Map	٧	٧	٧
	Event Statistics	×	×	٧
E and Cardan	Real-time Events	٧	٧	٧
Event Center	Events History	٧	٧	٧
	Alarm Controller	×	×	٧
	POS Records	×	×	٧
	Access Control Records	×	٧	٧
	Search for Faces Based on Face Image (Singel Device)	٧	٧	٧
	Search for Faces Based on Face Image (Across Multiple devices)	×	×	٧
DeepXplore	Human Body Search	V	٧	٧
	Non-motorized vehicle search	٧	٧	٧
	Vehicle Search	٧	٧	٧
	MPT Records	×	×	٧
	Record Trajectory	×	×	٧
	Case Bank	×	×	٧



Classification	Function	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
	Overview	×	×	٧
Maintenance Center	Channel Status	×	×	٧
	Device Status	×	×	٧
	Server Status	×	×	٧
	Fault	×	×	٧
	Device Update	×	×	٧
	Advanced Rules of Access Control	×	√(Anti-Passback ONLY)	٧
A a cook Managament	Video Intercom	×	٧	٧
Access Management	Visit Appointment Registration	×	×	٧
	Attendance	×	×	٧
Mahiala Entrance and Evit	Entrance and Exit Monitoring	×	٧	٧
Vehicle Entrance and Exit	Vehicle Search	×	٧	٧
	People Counting	×	٧	٧
Intelligent Analysis	Heat Maps	×	٧	٧
	In Area No. Analysis	×	٧	٧
C. alla a d'a	Event Sync	×	×	٧
Synthesis	Data Sync	×	×	٧
	Operator Log	٧	٧	٧
Log	Device Log	×	٧	٧
	System Log	٧	٧	٧
Quick Command		٧	٧	٧



Classification	First Level Menu	Second Level Menu	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
Basic Configuration	Device	Add Device	٧	٧	٧
		Device Configuration	٧	٧	٧
	User	Role	٧	٧	٧
		User	٧	٧	٧
comiguration	Storage	Net Disk	×	×	٧
		Server Disk	٧	٧	٧
		Disk Group	×	×	٧
	Storage Plan	Recording Plan	٧	٧	٧
		Recording Retrieval	×	×	٧
	Event	Event Plan	٧	٧	٧
	Мар	Мар	٧	٧	٧
	Personnel and Vehicle Informaton	Personnel List	٧	٧	٧
Application		Vehicle List	٧	٧	٧
Configuration	Watch List	Face Watch List	٧	٧	٧
-		Vehicle Watch List	٧	٧	٧
	Access Control	Door Group	×	٧	٧
		Access Permision Group	×	٧	٧
		Public Password	×	٧	٧
		Advanced Rules	×	√(Anti-Passback ONLY)	٧



Classification	First Level Menu	Second Level Menu	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
Application Configuration	Video Intercom	Call Management	×	٧	٧
		Residence Configuration	×	٧	٧
		Contacts Synchronization	×	٧	٧
		Private Password	×	٧	٧
		App User	×	٧	٧
	Attendance	Attendance Period	×	×	٧
		Attendance Holiday Schedule	×	×	٧
		Attendance Shift	×	×	٧
		Shift Management	×	×	٧
		Attendance Configuration	×	×	٧
	Visitor		×	٧	٧
	Entrance and Exit	Parking Lot	×	٧	٧
		Vehicle Group	×	٧	٧
	Intelligent Analysis		×	٧	٧



Classification	First Level Menu	Second Level Menu	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
	System Deployment	Distributed Configuration	×	×	V
		Cascade Configuration	×	×	٧
	License		٧	٧	٧
System Configuration	System Parameters		٧	٧	٧
gg	Backup and Restore		٧	٧	٧
	Synthesis	Event Sync	×	×	٧
		Data Sync	×	×	٧
Overview	Overview		٧	٧	٧
	Download Center		٧	٧	٧
	Local Picture		٧	٧	٧
	Local Recording		٧	٧	٧
Management	Local Settings		٧	٧	٧
	Log	Operator Log	٧	٧	٧
		Device Log	×	٧	٧
		System Log	٧	٧	٧
		Service Log Debug	٧	٧	٧
	Help		٧	٧	٧
	Quick Command		٧	٧	٧



Classification	First Level Menu	Second Level Menu	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
	Monitoring Center	Live View	٧	V	V
		Video Wall	×	٧	V
		Мар	٧	٧	V
		Real-time Events	٧	٧	٧
	Event Center	Events History	٧	٧	V
		Event Statistics	×	×	٧
		Alarm Controller	×	×	V
Applications	DeepXplore	DeepXplore	٧	٧	٧
		Case Bank	×	×	٧
	Maintenance Center	Overview	×	×	٧
		Channel Status	×	×	٧
		Device Status	×	×	٧
		Server Status	×	×	٧
		Fault	×	×	٧
		Device Update	×	×	٧



Classification	First Level Menu	Second Level Menu	DSS Express (Free Version)	DSS Express (License Version)	DSS Professional
	Access Management	Access Control	×	٧	٧
		Video Intercom	×	٧	٧
		Attendance	×	×	٧
		Visitor	×	٧	٧
Applications	Vehicle Entrance and Exit	Entrance and Exit Monitoring	×	٧	٧
		Vehicle Search	×	٧	٧
	Intelligent Analysis	People Counting	×	٧	٧
		Heat Maps	×	٧	٧
		In Area No. Analysis	×	٧	٧

ENABLIN	G A SAFER SOCIE	TY AND SMART	ΓER LIVING	

ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.
Address: No.1199 Bin'an Road, Binjiang District, Hangzhou, P. R. China | Website: www.dahuasecurity.com | Postcode: 310053
Email: overseas@dahuatech.com | Fax: +86-571-87688815 | Tel: +86-571-87688883